

Freeform Search

Database: **US Pre-Grant Publication Full-Text Database**
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: L64 and (filter\$3 or mirror)

Display: 10 Documents in Display Format: Starting with Number 1

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Thursday, June 28, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set
Name Query

side by
side

Hit
Count Set
Nam
resul
set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L65</u>	L64 and (filter\$3 or mirror)	98	<u>L65</u>
<u>L64</u>	L63 and (weld\$3)	146	<u>L64</u>
<u>L63</u>	L41 and (laser near diode)	360	<u>L63</u>
<u>L62</u>	L58 and (weld\$3)	9	<u>L62</u>
<u>L61</u>	L58 and (block\$3)	116	<u>L61</u>
<u>L60</u>	L58 and (block%4)	0	<u>L60</u>
<u>L59</u>	L58 and (laser filter or IR near block\$3 or light near block\$3)	6	<u>L59</u>
<u>L58</u>	L56 and (diode near laser)	233	<u>L58</u>
<u>L57</u>	L56 and (semiconductor near laser)	102	<u>L57</u>
<u>L56</u>	374/\$.ccls.	29669	<u>L56</u>

DB=USPT; PLUR=YES; OP=ADJ

<u>L55</u>	L53 and (oscillat\$3 near semiconductor near laser)	0	<u>L55</u>
<u>L54</u>	L53 and (puls\$3 near semiconductor near laser)	3	<u>L54</u>
<u>L53</u>	374/\$.ccls.	14334	<u>L53</u>
<u>L52</u>	L46 and (metal)	1	<u>L52</u>

DB=PGPB; PLUR=YES; OP=ADJ

L51 20050169346 1 L51

L50 10767798 0 L50

DB=USPT; PLUR=YES; OP=ADJ

L49 L46 and (plastic) 1 L49

L48 L46 and (semiconductor) 0 L48

L47 6299346.pn. 1 L47

L46 6585146.pn. 1 L46

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L45 L41 and (semiconductor near laser) and (bond\$3 near resin) 1 L45

L44 L41 and (semiconductor near laser) and (bond\$3 near plastic) 2 L44

L43 L41 and (semiconductor near laser) and (weld\$3 near plastic or polymers) 17 L43

L42 L41 and (semiconductor near laser) and (weld\$3 near resin) 2 L42

DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ

L41 (374/141,5,124,137,126,121,57,4;219/130.01,121.04,121.83,121.64,121.83,121.85)!
[CCLS] 9371 L41

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L40 (semiconductor near laser) and (weld\$3 near resin) 49 L40

L39 (semiconductor near laser) same (weld\$3 near resin) 8 L39

L38 semiconductor near laser same weld\$3 near resin 8 L38

L37 L36 and (semiconductor laser) 35 L37

L36 laser same weld\$3 near resin 198 L36

L35 L33 and (laser) 9 L35

L34 L33 and (semiconductor laser) 0 L34

L33 L12 and (\$5plastic resin) 72 L33

DB=USPT; PLUR=YES; OP=ADJ

L32 L25 and (polymer or polyimide or rubber or resin) 0 L32

L31 L25 and (semiconductor) 1 L31

L30 7059767.pn. 1 L30

L29 7059767.pn. and (double) 0 L29

L28 L27 and (double) 0 L28

L27 6890096.pn. 1 L27

L26 L25 and (resin or plastic or polymer) 1 L26

L25 5382770.pn. 1 L25

L24 L23 and (filter or block\$3) 1 L24

L23 4484059.pn. 1 L23

L22 L21 and (laser) 0 L22

L21 2505647.pn. 1 L21

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L20 L19 and (temperature or IR or infrared or wavelength\$1) 85 L20

L19 (weld\$3 near resin) same (laser) 198 L19

DB=USPT; PLUR=YES; OP=ADJ

L18 laser near weld\$3 near resin 4 L18
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ
L17 laser near weld\$3 near resin 103 L17
L16 L15 and (infrared or IR or temperature) 72 L16
L15 (weld\$3 near resin) same (laser) 198 L15
L14 (weld\$3 near resin) same (weld\$3 temperature) 11 L14
L13 L12 and (weld\$3 near temperature) same (laser or infrared or IR or scan\$4) 6 L13
L12 (weld\$3 near resin) 2284 L12
L11 (weld\$3 near resin) same (temperature) same (infrared or IR or scan\$4) same (laser) 0 L11
L10 L5 and (weld\$3 near resin) 6 L10
DB=USPT; PLUR=YES; OP=ADJ
L9 L8 and (28) 1 L9
L8 5382770.pn. 1 L8
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ
L7 L5 and (infrared near filter\$1 or IR near filter) 3 L7
L6 L5 and (wavelength\$1) 118 L6
L5 (weld\$3 near temperature) same (laser or infrared or IR or scan\$4) 668 L5
L4 L3 and (weld\$3 near temperature) 41 L4
L3 374/\$.ccls. 29669 L3
DB=USPT; PLUR=YES; OP=ADJ
L2 5355123.pn. 1 L2
L1 3882728.pn. 1 L1

END OF SEARCH HISTORY

DATE: Monday, July 09, 2007 Purge Queries Printable Copy Create Case

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L2</u>	(resin near weld\$3) same (laser)	21	<u>L2</u>
<u>L1</u>	resin near weld\$3	481	<u>L1</u>

END OF SEARCH HISTORY

Searches for User *gverbitsky* (Count = 49596)

Queries 49547 through 49596.

Find

Latest Prev Next Oldest

Edit Help Cancel

S #	Updt	Database	Q
<u>S49596</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((374/141,5,124,137,126,121,57,4;219/1	
		[CCLS] and (laser near diode) and (weld	
<u>S49595</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((374/141,5,124,137,126,121,57,4;219/1	
		[CCLS] and (laser near diode)) and (wel	
<u>S49594</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((374/141,5,124,137,126,121,57,4;219/1	
		[CCLS]) and (laser near diode)	
<u>S49593</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls. and (diode near laser)) and (
<u>S49592</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls. and (diode near laser)) and (
<u>S49591</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls. and (diode near laser)) and (
<u>S49590</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls. and (diode near laser)) and (
		block\$3)	
<u>S49589</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls.) and (diode near laser)	
<u>S49588</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls.) and (semiconductor near la	
<u>S49587</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$.ccls.	
<u>S49586</u>	<u>U</u>	USPT	(374/\$.ccls.) and (oscillat\$3 near semicc
<u>S49585</u>	<u>U</u>	USPT	(374/\$.ccls.) and (puls\$3 near semicond

<u>S49584</u>	<u>U</u>	USPT	374/\$.ccls.
<u>S49583</u>	<u>U</u>	USPT	(6585146.pn.) and (metal)
<u>S49582</u>	<u>U</u>	PGPB	20050169346
<u>S49581</u>	<u>U</u>	PGPB	10767798
<u>S49580</u>	<u>U</u>	USPT	(6585146.pn.) and (plastic)
<u>S49579</u>	<u>U</u>	USPT	(6585146.pn.) and (semiconductor)
<u>S49578</u>	<u>U</u>	USPT	6299346.pn.
<u>S49577</u>	<u>U</u>	USPT	6585146.pn.
<u>S49576</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
<u>S49575</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
<u>S49574</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
<u>S49573</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
<u>S49572</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/141,5,124,137,126,121,57,4;219/13 [CCLS]
<u>S49571</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(semiconductor near laser) and (weld\$3 1
<u>S49570</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(semiconductor near laser) same (weld\$2
<u>S49569</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	semiconductor near laser same weld\$3 n

<u>S49568</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (laser same weld\$3 near resin) and (sem	
<u>S49567</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD laser same weld\$3 near resin	
<u>S49566</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld\$3 near resin) and (\$5plastic resin	
<u>S49565</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld\$3 near resin) and (\$5plastic resin	
<u>S49564</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld\$3 near resin)) and (\$5plastic resi	
<u>S49563</u>	<u>U</u>	USPT	(5382770.pn.) and (polymer or polyimide
<u>S49562</u>	<u>U</u>	USPT	(5382770.pn.) and (semiconductor)
<u>S49561</u>	<u>U</u>	USPT	7059767.pn.
<u>S49560</u>	<u>U</u>	USPT	7059767.pn. and (double)
<u>S49559</u>	<u>U</u>	USPT	(6890096.pn.) and (double)
<u>S49558</u>	<u>U</u>	USPT	6890096.pn.
<u>S49557</u>	<u>U</u>	USPT	(5382770.pn.) and (resin or plastic or pc
<u>S49556</u>	<u>U</u>	USPT	5382770.pn.
<u>S49555</u>	<u>U</u>	USPT	(4484059.pn.) and (filter or block\$3)
<u>S49554</u>	<u>U</u>	USPT	4484059.pn.
<u>S49553</u>	<u>U</u>	USPT	(2505647.pn.) and (laser)

S49552 U USPT

2505647.pn.

S49551 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld\$3 near resin) same (laser)) and (t
wavelength\$1)

S49550 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (weld\$3 near resin) same (laser)

S49549 U USPT

laser near weld\$3 near resin

S49548 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD laser near weld\$3 near resin

S49547 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld\$3 near resin) same (laser)) and (i

Find

Latest

Prev

Next

Oldest

Edit

Help

Cancel

Searches for User *gverbitsky* (Count = 49596)

Queries 49497 through 49546.

Find			
Latest	Prev	Next	Oldest
Edit	Help	Cancel	

S #	Updt	Database	Query	Time	Comment
<u>S49546</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld\$3 near resin) same (laser)	2007-06-28 08:56:29	
<u>S49545</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld\$3 near resin) same (weld\$3 temperature)	2007-06-28 08:52:56	
<u>S49544</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld\$3 near resin)) and (weld\$3 near temperature) same (laser or infrared or IR or scan\$4)	2007-06-28 08:52:13	
<u>S49543</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld\$3 near resin)	2007-06-28 08:51:32	
<u>S49542</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld\$3 near resin) same (temperature) same (infrared or IR or scan\$4) same (laser)	2007-06-28 08:51:12	
<u>S49541</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld\$3 near temperature) same (laser or infrared or IR or scan\$4)) and (weld\$3 near resin)	2007-06-28 08:49:11	
<u>S49540</u>	<u>U</u>	USPT	(5382770.pn.) and (28)	2007-06-28 08:46:07	
<u>S49539</u>	<u>U</u>	USPT	5382770.pn.	2007-06-28	

S49538	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld\$3 near temperature) same (laser or infrared or IR or scan\$4)) and (infrared near filter\$1 or IR near filter)	08:45:58 2007-06-28 08:40:55
S49537	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld\$3 near temperature) same (laser or infrared or IR or scan\$4)) and (wavelength\$1)	2007-06-28 07:54:06
S49536	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld\$3 near temperature) same (laser or infrared or IR or scan\$4)	2007-06-28 07:53:07
S49535	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/\$.ccls.) and (weld\$3 near temperature)	2007-06-28 07:40:56
S49534	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/\$.ccls.	2007-06-28 07:40:35
S49533	U	USPT	5355123.pn.	2007-06-28 07:25:56
S49532	U	USPT	3882728.pn.	2007-06-28 07:23:57